



**Rockfon Pacific®**





# Rockfon Pacific®

- Economical tile with standard surface
- Class B sound absorption with lightweight 12mm thickness
- Basic range of tile dimensions in semi-concealed and visible grid options
- Easy to clean with a vacuum

## PRODUCT DESCRIPTION

- Stone wool tile
- Visible side: Nuanced white painted fleece
- Rear side: back fleece
- Painted edges

## ASSORTMENT

| Edge detail   | Module size (mm) | Weight (kg/m <sup>2</sup> ) | Recommended installation System |
|---|------------------|-----------------------------|---------------------------------|
|  | 600 x 600 x 12   | 1.6                         | Rockfon® System T15 A™          |
|   | 1200 x 600 x 12  | 1.6                         |                                 |
|  | 600 x 600 x 12   | 1.6                         | Rockfon® System T24 A™          |
|   | 1200 x 600 x 12  | 1.6                         |                                 |
|  | 600 x 600 x 12   | 1.9                         | Rockfon® System T15 E™          |
|  | 600 x 600 x 12   | 1.9                         | Rockfon® System T24 E™          |




## PERFORMANCES



### Sound absorption

$\alpha_w$ : 0,80 (Class B)



### Reaction to fire

A1



### Light reflection

82%



### Humidity and sag resistance

Up to 100% RH



### Cleaning

- Vacuum



### Hygiene

Stone wool provides no sustenance to microorganisms



### Environment

Fully recyclable



### Indoor environment

A selection of Rockfon products have been awarded

